U.S. Application No.: 09/899,601

Attorney Docket No.: Q65349

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (Original) A method of making a discontinuous paper body, comprising the steps of:

feeding a raw material with a predetermined concentration into water which is in a stirred

condition:

maintaining the stirring condition for a predetermined time after said feeding step is

completed; and

passing the raw material diluted with the water through a wire cloth, while the stirred

condition is maintained.

2. (Original) The paper making method according to claim 1, wherein said paper body is a

discontinuous annular body, and the stirred condition is obtained by a plurality of stirring

mechanisms equally disposed above said wire cloth.

3. (Original) The paper making method according to claim 2, wherein the stirred condition

is obtained by said plurality of stirring mechanisms alternately disposed with respect to a central

annular line of a paper making portion of said wire cloth.

4. (Original) The paper making method according to claim 1, wherein said stirring

mechanisms are air nozzles, and the raw material is stirred by air jetted from said air nozzles.

-2-

U.S. Application No.: 09/899,601 Attorney Docket No.: Q65349

5. (Original) The paper making method according to claim 1, further comprising the step of:

cleansing the inside of a stirring tank after the paper making operation.

- 6. (Original) The paper making method according to claim 1, wherein the inside of said stirring tank is cleansed before water and raw material are fed therein.
 - 7. (Withdrawn) An apparatus for making paper, comprising:

a stirring tank including:

an outer cylinder;

a middle cylinder located concentrically with said outer cylinder and in the inside of said outer cylinder;

a raw-material feeding port for feeding a raw material;

stirring mechanisms disposed between said outer cylinder and said middle cylinder; and

a top plate for holding said outer and middle cylinders in a predetermined position, and

a paper making portion installed below said stirring tank, said paper making portion including:

a wire cloth; and

a paper making frame having an opening for holding said wire cloth, said opening being connected to a suction unit,

wherein said stirring mechanisms are uniformly disposed above said wire cloth.

U.S. Application No.: 09/899,601

Attorney Docket No.: Q65349

8. (Withdrawn) The paper making apparatus according to claim 7, wherein said equally

disposed stirring mechanisms are alternately disposed with respect to a central annular line of a

paper making portion of said wire cloth.

9. (Withdrawn) The paper making apparatus according to claim 7, wherein said stirring

mechanisms are air nozzles.

10. (Withdrawn) The paper making apparatus according to claim 7, wherein a cleaning

fluid jet mechanism is provided on said top plate.

11. (Withdrawn) A method of making an annular paper body, comprising the steps of:

feeding a raw material from a raw-material feeding port disposed above a wire cloth so that

the raw material is uniformly fed onto said wire cloth; and

passing the raw material diluted in water through said wire cloth.

12. (Withdrawn) The paper making method according to claim 11, wherein said feeding

step feeds the raw material from a plurality of raw-material feeding ports uniformly disposed above

said wire cloth.

13. (Withdrawn) The paper making method according to claim 12, wherein said feeding

step feeds the raw material from said plurality of raw-material feeding ports alternately disposed

with respect to a central annular line of a paper making portion of said wire cloth.

14. (Withdrawn) The paper making method according to claim 11, wherein in said feeding

step, the raw material is fed while crawling on the surface of a middle cylinder provided within a

paper making apparatus.

-4-

U.S. Application No.: 09/899,601

Attorney Docket No.: Q65349

15. (Withdrawn) The paper making method according to claim 11, wherein a central body

having a substantially conical portion is provided within a paper making apparatus, and said feeding

step feeds the raw material toward the apex of said conical portion of said central body.

16. (Withdrawn) The paper making method according to claims 11, wherein said feeding

step feeds the raw material with a predetermined concentration into water which is in a stirred

condition, and

said passing step is carried out while maintaining the stirred condition for a predetermined

time after said feeding step is completed.

17. (Withdrawn) A paper making apparatus comprising:

a stirring tank including:

an outer cylinder;

a middle cylinder located concentrically with the outer cylinder and in the inside of

said outer cylinder;

a raw-material feeding port for feeding a raw material;

stirring mechanisms disposed between said outer cylinder and said middle cylinder;

and

a top plate for holding said outer cylinder, said middle cylinder and said stirring

mechanisms in a predetermined position; and

a paper making portion disposed in a lower portion of said stirring tank, said paper making

portion including:

a wire cloth; and

-5-

U.S. Application No.: 09/899,601

Attorney Docket No.: Q65349

a central body having an opening for holding said wire cloth and is connected to a

suction unit,

wherein said raw-material feeding ports are uniformly disposed above said wire cloth.

18. (Withdrawn) The paper making apparatus according to claim 17, wherein said raw-

material feeding ports are alternately disposed with respect to a central annular line of a paper

making portion of said wire cloth.

19. (Withdrawn) The paper making apparatus according to claim 17, wherein the middle

cylinder has a cylindrical column shape.

20. (Withdrawn) The paper making apparatus according to claim 17, wherein one of a

stirring air supply hole, said raw-material feeding port and a cleaning fluid jet port is provided on a

side surface of said middle cylinder.

21. (Withdrawn) A paper making apparatus comprising:

a stirring tank including:

an outer cylinder;

a middle cylinder located concentrically with the outer cylinder and in the inside of

said outer cylinder;

a raw-material feeding port for feeding a raw material;

stirring mechanisms disposed between said outer cylinder and said middle cylinder;

and

a top plate for holding said outer cylinder, said middle cylinder and said stirring

mechanisms in a predetermined position; and

-6-

U.S. Application No.: 09/899,601 Attorney Docket No.: Q65349

a paper making portion disposed in a lower portion of said stirring tank, said paper making portion including:

a wire cloth; and

a central body having an opening for holding said wire cloth and is connected to a suction unit,

wherein said raw-material feeding port is directed to the outer peripheral surface of said middle cylinder.

22. (Withdrawn) A paper making apparatus comprising:

a stirring tank including:

an outer cylinder;

a raw-material feeding port for feeding a raw material;

stirring mechanisms disposed within said outer cylinder; and

a top plate for holding said outer cylinder, said raw-material feeding port and said stirring mechanisms in a predetermined position; and

a paper making portion disposed in a lower portion of said stirring tank, said paper making portion including:

a wire cloth; and

a central body having an opening for holding said wire cloth and is connected to a suction unit, an upper surface of said central body being formed in a substantially conical shape,

wherein said raw-material feeding port is disposed above the apex of the conical upper surface.

U.S. Application No.: 09/899,601

Attorney Docket No.: Q65349

23. (Previously Presented) The paper making method according to Claim 1, wherein

said step of feeding further comprises feeding a raw material from a raw-material feeding port

disposed above said wire cloth.

24. (Previously Presented) The paper making method according to Claim 1, wherein

said step of feeding further comprises feeding the raw material from a plurality of raw-material

feeding ports uniformly disposed above said wire cloth.

25. (Previously Presented) The paper making method according to claim 1, wherein said

step of feeding a raw material further comprises feeding said raw material into a stirring tank

having said wire cloth at one of its boundaries.

26. (Previously Presented) The paper making method according to claim 25, further

comprising a step of stirring water in said stirring tank to thereby form the water which is in a

stirred condition, wherein said step of stirring water is performed before said step of feeding a

raw material.

27. (Previously Presented) The paper making method according to claim 25, wherein

said step of maintaining the stirring condition for a predetermined time further comprises stirring

in said stirring tank.

28. (Previously Presented) The paper making method according to claim 1, wherein said

step of passing the raw material through a wire cloth while the stirred condition is maintained

further comprises stirring the raw material diluted with the water as a moisture component is

sucked through said wire cloth.

-8-

U.S. Application No.: 09/899,601 Attorney Docket No.: Q65349

29. (New) The paper making method according to claim 1, wherein said step of feeding a raw material further comprises feeding said raw material into a stirring tank having said wire cloth attached thereto so as to be disposed across an opening therein.